

Building and constructions



The new ways of building require a large quantity of tapes to protect, seal, splice and bond. Tapes&Rubber products help to fill your needs.

	Features	Application
Masking 60	<i>Product Type:</i> Masking Tape <i>Adhesive:</i> Synthetic Rubber <i>Substrate:</i> Saturated Paper <i>Functions:</i> Masking <i>Thickness:</i> 0.11mm	General purpose masking tape.
Masking 80	<i>Product Type:</i> Masking Tape <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> Saturated Paper <i>Functions:</i> Masking <i>Thickness:</i> 0.115mm	Industrial grade masking tape.
GOLD	<i>Product Type:</i> rice paper masking tape <i>Adhesive:</i> solvent acrylic <i>Substrate:</i> rice paper <i>Functions:</i> masking <i>Thickness:</i> 0.100mm	Premium masking tape
VIOLET	<i>Product Type:</i> Masking Tape <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> Saturated Paper <i>Functions:</i> delicate surface masking <i>Thickness:</i> 0.120mm	Wall paper and delicate surfaces masking.
BLUE	<i>Product Type:</i> masking Tape <i>Adhesive:</i> water-based acrylic <i>Substrate:</i> Saturated Paper <i>Functions:</i> masking tape <i>Thickness:</i> 0.115mm	UV-resistant masking tape.
CREPE	<i>Product Type:</i> Masking Tape <i>Adhesive:</i> synthetic rubber <i>Substrate:</i> highly crepped paper <i>Functions:</i> masking tape <i>Thickness:</i> 0.280mm	Irregular surfaces masking.
ECOMASK 156	<i>Product Type:</i> Masking Tape <i>Adhesive:</i> Solvent rubber <i>Substrate:</i> Saturated Paper <i>Functions:</i> masking <i>Thickness:</i> 0.120mm	high cohesion brown masking tape.
Masking 60 Road	<i>Product Type:</i> Masking Tape <i>Adhesive:</i> syntethic rubber <i>Substrate:</i> Saturated Paper <i>Functions:</i> masking <i>Thickness:</i> 0.125mm	Rough surfaces high tack masking tape.
PE GREEN	<i>Product Type:</i> Filmic Tape <i>Adhesive:</i> Modified Solvent <i>Substrate:</i> 100 my green ldp <i>Functions:</i> Masking <i>Thickness:</i> 0.13mm	Masking road works.

	Features	Application
PAPER MASKER	<i>Product Type:</i> masking system <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> HDPE film and paper masking tape <i>Functions:</i> masking <i>Thickness:</i> 0.120mm	Masking and protection
CLOTH MASKER	<i>Product Type:</i> masking system <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> cloth and masking tape <i>Functions:</i> masking <i>Thickness:</i> 0.120mm	Masking and protection
PE BLACK/ WHITE	<i>Product Type:</i> protective tape. <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> coextruded LDPE <i>Functions:</i> protection <i>Thickness:</i> 0.100mm	UV-resistant protective tape.
PE TRANSPARENT	<i>Product Type:</i> protective tape. <i>Adhesive:</i> water-based acrylic <i>Substrate:</i> LDPE <i>Functions:</i> protective <i>Thickness:</i> 0.110mm	Surface protection
FELT	<i>Product Type:</i> protective <i>Adhesive:</i> none <i>Substrate:</i> HDPE laminated felt <i>Functions:</i> protection <i>Thickness:</i> 2mm	Paint drop absorber.
PE FOIL	<i>Product Type:</i> protective foil. <i>Adhesive:</i> none <i>Substrate:</i> HDPE <i>Functions:</i> protection <i>Thickness:</i> 25 my	Soil covering.
PRO GRIP	<i>Product Type:</i> protective tape. <i>Adhesive:</i> water-based acrylic <i>Substrate:</i> PP <i>Functions:</i> anti-slip protection <i>Thickness:</i> 240 my	Anti-slip soil protection.
PVC ORANGE	<i>Product Type:</i> masking, joining and sealing tape. <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> Plasticized PVC <i>Functions:</i> masking, joining and sealing. <i>Thickness:</i> 135 my	Heavy duty masking, joining and sealing.
YELLOW EMBOSSED PVC	<i>Product Type:</i> masking, joining and sealing tape. <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> Plasticized PVC <i>Functions:</i> masking, joining and sealing. <i>Thickness:</i> 135 my	Easy tear heavy duty masking, joining and sealing.
LANE MARKING PVC	<i>Product Type:</i> marking tape <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> Plasticized PVC <i>Functions:</i> lane marking. <i>Thickness:</i> 140 my	Lane delimitating coloured PVC tape.
HAZARD PVC	<i>Product Type:</i> marking tape <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> Plasticized PVC <i>Functions:</i> area marking. <i>Thickness:</i> 140 my	Hazardous area delimitating striped PVC tape.
PVC 130	<i>Product Type:</i> insulating tape <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> Plasticized PVC <i>Functions:</i> insulating <i>Thickness:</i> 130 my	Cable insulation, coding and bundling.

	Features	Application
GREENHOUSES PVC	<i>Product Type:</i> splicing tape <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> Plasticized PVC <i>Functions:</i> splicing and repairing <i>Thickness:</i> 130 my	Greenhouses and agricultural films joining and repairing.
ALU30	<i>Product Type:</i> aluminum tape <i>Adhesive:</i> water-based acrylic <i>Substrate:</i> 30 my aluminum foil <i>Functions:</i> joining and bundling <i>Thickness:</i> 60 my	Fastening, joining and bundling insulating products.
ALU40	<i>Product Type:</i> aluminum tape <i>Adhesive:</i> water-based acrylic <i>Substrate:</i> 40 my aluminum foil <i>Functions:</i> joining and bundling <i>Thickness:</i> 70 my	Fastening, joining and bundling insulating products.
ALU50	<i>Product Type:</i> aluminum tape <i>Adhesive:</i> water-based acrylic <i>Substrate:</i> 50 my aluminum foil <i>Functions:</i> joining and bundling <i>Thickness:</i> 80 my	Fastening, joining and bundling insulating products.
PM99	<i>Product Type:</i> aluminum tape <i>Adhesive:</i> solvent acrylic <i>Substrate:</i> aluminum foil + polyester film <i>Functions:</i> vapour barrier <i>Thickness:</i> 70 my	Vapour barrier for thermal insulating covers.
PATCH	<i>Product Type:</i> PES tape <i>Adhesive:</i> solvent acrylic <i>Substrate:</i> PES film <i>Functions:</i> Fixing <i>Thickness:</i> 300 my	Heavy duty patcher for tarpaulin and ground sheets.
GLASS MESH	<i>Product Type:</i> Reinforcing tape <i>Adhesive:</i> Acrylic <i>Substrate:</i> fiber glass mesh <i>Functions:</i> splicing <i>Thickness:</i> 100 my	Reinforcing plasterboard joints
D210	<i>Product Type:</i> Duct Tape <i>Adhesive:</i> Synthetic Rubber <i>Substrate:</i> PE Film + Gauze <i>Functions:</i> Sealing <i>Thickness:</i> 0.210mm	Industrial grade duct tape.
D220	<i>Product Type:</i> Duct Tape <i>Adhesive:</i> Synthetic Rubber <i>Substrate:</i> PE Film + Gauze <i>Functions:</i> Sealing <i>Thickness:</i> 0.220mm	Orange PE cloth tape for masking application.
D240	<i>Product Type:</i> Duct Tape <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> PE Film + Gauze <i>Functions:</i> Sealing <i>Thickness:</i> 0.240mm	Premium grade duct tape for asbestos removal.
PP200	<i>Product Type:</i> Double-sided Tape <i>Adhesive:</i> synthetic rubber <i>Substrate:</i> Cast PP Film <i>Functions:</i> Carpet fixing, mounting <i>Thickness:</i> 0.10mm	Hot-melt double-sided tape for carpet bonding and splicing. Hand tearable.
T250	<i>Product Type:</i> Double-sided Tape <i>Adhesive:</i> synthetic rubber <i>Substrate:</i> Gauze <i>Functions:</i> Carpet fixing, bonding <i>Thickness:</i> 0.25 mm	Gauze double sided tape for carpet fixing.

	Features	Application
T290	<i>Product Type:</i> Double-sided Tape <i>Adhesive:</i> synthetic rubber <i>Substrate:</i> Cloth <i>Functions:</i> Carpet fixing, bonding <i>Thickness:</i> 0.29mm	Premium grade double sided tape for carpet fixing.
E200	<i>Product Type:</i> Double-sided Tape <i>Adhesive:</i> Synthetic rubber / Acrylic <i>Substrate:</i> Cast PP Film <i>Functions:</i> Carpet fixing in exhibition <i>Thickness:</i> 0.15mm	Double-sided blue tape for fixing carpet in exhibition open side removable
F100S	<i>Product Type:</i> Double-sided Tape <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> PE foam <i>Functions:</i> Bonding and mounting <i>Thickness:</i> 1mm	Bonding and assembling different materials (plates, panels, glasses)
F150S	<i>Product Type:</i> Double-sided Tape <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> PE foam <i>Functions:</i> Bonding and mounting <i>Thickness:</i> 1.5mm	Bonding and assembling different materials (plates, panels, glasses)
F200S	<i>Product Type:</i> Double-sided Tape <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> PE foam <i>Functions:</i> Bonding and mounting <i>Thickness:</i> 2mm	Bonding and assembling different materials (plates, panels, glasses)
F300S	<i>Product Type:</i> Double-sided Tape <i>Adhesive:</i> Natural Rubber <i>Substrate:</i> PE foam <i>Functions:</i> Bonding and mounting <i>Thickness:</i> 3mm	Bonding and assembling different materials (plates, panels, glasses)
BREATHER 15	<i>Product Type:</i> Non-Woven <i>Adhesive:</i> Microporous <i>Substrate:</i> Spunbond PP <i>Functions:</i> Anti-dust <i>Thickness:</i> 0.30mm	Avoiding water condensation and penetration of dust and insects.
WARNING TAPE	<i>Product Type:</i> Red and white printed PE film <i>Adhesive:</i> none <i>Substrate:</i> PE film <i>Functions:</i> delimitation <i>Thickness:</i> 40 my	Delimitation of restricted areas.
ANTI-SKID TAPE	<i>Product Type:</i> coarse tape <i>Adhesive:</i> Solvent Acrylic <i>Substrate:</i> paper + corundum <i>Functions:</i> anti-skid <i>Thickness:</i> 0.30mm	Long lasting tape for slippery soil. Available in different colours, also striped.
PIB 50	<i>Product Type:</i> Self-Amalgamating Tapes <i>Adhesive:</i> none <i>Substrate:</i> PIB Rubber <i>Functions:</i> Corrosion Protection, Electrical Insulation, Sealing <i>Thickness:</i> 0.5mm	Moisture protection and electrical insulation in multiple applications.
TEFLON	<i>Product Type:</i> PTFE tape <i>Adhesive:</i> none <i>Substrate:</i> PTFE <i>Functions:</i> thread sealing <i>Thickness:</i> 40 my	Thread sealing in plumbery.
FOAM 5mm	<i>Product Type:</i> thermal insulating tape <i>Adhesive:</i> syntethic rubber <i>Substrate:</i> PE foam <i>Functions:</i> insulation <i>Thickness:</i> 5mm	Pipe and duct wrapping for thermal insulation.